



edited by
Seung-Woo Lee
Toyoki Kunitake

Handbook of
**Molecular
Imprinting**
Advanced Sensor Applications



Published by

Pan Stanford Publishing Pte. Ltd.
Penthouse Level, Suntec Tower 3
8 Temasek Boulevard
Singapore 038988

Email: editorial@panstanford.com
Web: www.panstanford.com

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library.

Handbook of Molecular Imprinting: Advanced Sensor Applications

Copyright © 2013 by Pan Stanford Publishing Pte. Ltd.

All rights reserved. This book, or parts thereof, may not be reproduced in any form or by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system now known or to be invented, without written permission from the publisher.

For photocopying of material in this volume, please pay a copying fee through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA. In this case permission to photocopy is not required from the publisher.

ISBN 978-981-4316-65-1 (Hardcover)

ISBN 978-981-4364-32-4 (eBook)

Printed in the USA

Contents

| | |
|--|-----------|
| Part 1 Fundamentals of Molecular Imprinting and Sensor Applications | 1 |
| 1. Fundamentals and Perspectives of Molecular Imprinting in Sensor Applications | 3 |
| <i>Seung-Woo Lee, Sergiy Korposh, Roman Selyanchyn, and Toyoki Kunitake</i> | |
| 1.1 Introduction | 3 |
| 1.2 Molecular Imprinting in Organic Matrices | 4 |
| 1.2.1 Covalent Approach | 6 |
| 1.2.2 Non-Covalent Approach | 7 |
| 1.2.3 Other Approaches for Organic MIP Fabrication | 9 |
| 1.3 Molecular Imprinting in Inorganic Matrices | 11 |
| 1.3.1 Sol-Gel Approach | 12 |
| 1.3.2 Liquid Phase Deposition (LPD) Approach | 15 |
| 1.4 Major Transducers | 16 |
| 1.4.1 Mass-Sensitive Transducer | 17 |
| 1.4.2 Electrochemical Transducer | 19 |
| 1.4.3 Optical Transducer | 21 |
| 1.5 Applications of Organic MIP Materials in Sensors | 26 |
| 1.6 Applications of Inorganic MIP Materials in Sensors | 31 |
| 1.6.1 Silica Based Imprinted Materials | 31 |
| 1.6.2 Hybrid Imprinted Materials | 38 |
| 1.6.3 LPD Based Imprinted Materials | 40 |
| 1.6.4 Strategy for Improved Selectivity | 43 |
| 1.7 Conclusions | 45 |
| 2. Molecularly Imprinted Optical Sensing Receptor | 65 |
| <i>Sing Muk Ng and Ramaier Narayanaswamy</i> | |
| 2.1 Introduction | 65 |
| 2.2 Chronological Protocols and Procedures | 67 |

| | | |
|---------|---|-----|
| 2.2.1 | Selection of Materials and Ingredients | 67 |
| 2.2.2 | Polymerization Options | 72 |
| 2.2.2.1 | Free-radical initiated polymerization | 72 |
| 2.2.2.2 | Condensation polymerization | 73 |
| 2.2.2.3 | Electropolymerization | 74 |
| 2.2.3 | Configurations of Matrix | 75 |
| 2.2.3.1 | Bulk | 75 |
| 2.2.3.2 | Monoliths | 76 |
| 2.2.3.3 | Membranes | 77 |
| 2.2.4 | Handling and Preparation | 78 |
| 2.3 | Rational Design of Receptors | 79 |
| 2.3.1 | Interaction Study of Pre-Polymerization Ingredients | 79 |
| 2.3.2 | Computational Modeling | 81 |
| 2.3.3 | Thermodynamic Considerations | 83 |
| 2.3.4 | Repeatability and Reproducibility | 86 |
| 2.3.5 | Commercialization | 87 |
| 2.4 | Optical Sensing Schemes and Transduction Systems | 89 |
| 2.4.1 | Direct Monitoring of Analyte | 89 |
| 2.4.2 | Direct Fluorescence | 90 |
| 2.4.3 | Displacement Assay | 92 |
| 2.4.4 | Reflectance and Absorbance | 94 |
| 2.4.5 | Phosphorescence | 96 |
| 2.4.6 | Chemiluminescence | 97 |
| 2.4.7 | Surface Plasmon Resonance | 98 |
| 2.4.8 | Fluorescence Lifetime Decay | 100 |
| 2.5 | Advanced Probe Designs and Sensing Configuration | 102 |
| 2.5.1 | Sensor Arrays | 102 |
| 2.5.2 | Optical MIP Chips | 104 |
| 2.5.3 | Micro- and Nano-sized Sensors | 106 |
| 2.6 | Binding Aspects and Analytical Signals | 108 |
| 2.6.1 | Binding Isotherms and Affinity Distributions | 108 |
| 2.6.2 | Batch Binding Analysis and Binding Models | 109 |

| | |
|---|------------|
| 2.6.3 Correlation of Analytical Signal with Binding Isotherms Models | 110 |
| 2.6.4 Advantage and Limitation | 111 |
| 2.7 Summary | 112 |
| 3. Translational Applications of Molecularly Imprinted Polymer-Based Electrochemical Sensors | 119 |
| <i>Hung-Yin Lin, James L. Thomas, and Mei-Hwa Lee</i> | |
| 3.1 Introduction | 119 |
| 3.2 Principle of Molecularly Imprinted Polymers | 121 |
| 3.2.1 Synthesis of MIPs | 121 |
| 3.2.2 Characterization of MIPs | 123 |
| 3.2.3 Morphology of MIPs | 124 |
| 3.3 Transducers Employed with Molecularly Imprinted Polymers as Sensing Elements | 126 |
| 3.3.1 Types of Transducers | 126 |
| 3.3.2 Interface of Transducer and Molecularly Imprinted Polymers | 130 |
| 3.3.3 Miniature MIPs-Based Sensors | 130 |
| 3.3.4 Demonstration of MIPs-Based Electrochemical Sensors | 134 |
| 3.4 Molecularly Imprinted Polymers-Based Sensors for the Real World | 135 |
| 3.4.1 Source of Real Samples | 135 |
| 3.4.2 Biomarkers | 138 |
| 3.4.3 Cross-Talk Interference | 138 |
| 3.5 Prospective | 139 |
| 4. Optical Sensors for Monitoring Trace Inorganic Toxins | 147 |
| <i>T. Prasada Rao, Dhanya James, and Milja T. Elias</i> | |
| 4.1 Environmental Trace Analysis | 148 |
| 4.2 Inorganic Toxins | 148 |
| 4.3 Importance of Sampling in Trace Analysis | 152 |
| 4.3.1 Sample Handling | 152 |
| 4.3.2 Sample Pre-Treatment, Homogenization and Sub-Sampling | 152 |
| 4.3.3 Sample Preparation | 152 |

| | |
|---|------------|
| 4.3.3.1 Decomposition of inorganic or organic matrices | 153 |
| 4.3.3.2 Separation and pre-concentration steps | 153 |
| 4.4 Trace/Ultra Trace Analytical Techniques | 154 |
| 4.4.1 Selection of Analytical Technique/Method | 157 |
| 4.4.2 Essential Features of Analytical Techniques | 158 |
| 4.4.2.1 Signal processing, data handling and reporting | 158 |
| 4.4.2.2 Signal integrity | 158 |
| 4.4.2.3 Data handling | 158 |
| 4.4.2.4 Good Automated Laboratory Practice (GALP) [1] | 159 |
| 4.4.2.5 Reporting of results | 159 |
| 4.5 Chemical Speciation | 160 |
| 4.6 Sensors | 161 |
| 4.6.1 Fundamentals of Optical Sensors (Optodes) | 163 |
| 4.6.2 Optical Sensing of Ionic Analytes | 163 |
| 4.6.3 Optical Sensing of Neutral Analytes | 165 |
| 4.7 Molecularly Imprinted Polymers | 166 |
| 4.7.1 Molecular Imprinting Technology | 167 |
| 4.7.2 MIPs in Optical Sensing | 168 |
| 4.8 Optical Sensors vis-a-vis Other Sensor Techniques | 174 |
| 4.9 Future Outlook | 174 |
| 5. MIP Thermistor | 181 |
| <i>Rajagopal Rajkumar, Umporn Athikomrattanakul, Kristian Lettau, Martin Katterle, Bengt Danielsson, Axel Warsinke, Nenad Gajovic-Eichelmann, and Frieder W. Scheller</i> | |
| 5.1 Introduction | 181 |
| 5.1.1 The MIP Concept | 181 |
| 5.1.2 MIP Sensors | 183 |
| 5.1.3 Enzyme Thermistors | 184 |
| 5.2 Covalently Imprinted Polymers Using Boronic Acid Derivates | 188 |
| 5.2.1 Synthesis of Template (Fructosyl Valine) | 189 |

| | |
|--|------------|
| 5.2.2 Synthesis of Functional Monomer (Vinyl Phenyl Boroxine) | 189 |
| 5.2.3 Synthesis of N-[β -D-Fructopyranosyl-(1)]-L-Valine2,3; 4,5-bis-O- ((4-Vinylphenyl) Boronate) | 190 |
| 5.2.4 Synthesis of MIP and Control Polymers | 190 |
| 5.2.5 MIP Thermistor Set-Up and Measurements | 190 |
| 5.2.6 Thermometric MIP Sensor for Fructose | 191 |
| 5.2.7 Thermometric MIP Sensor for Fructosyl Valine | 193 |
| 5.2.8 Concentration Dependence of Fru-Val Binding | 194 |
| 5.2.9 Closed Loop Studies | 196 |
| 5.3 Non-Covalent MIPs Containing Two Functional Monomers for Carboxyphenyl Aminohydantoin (CPAH) as Analogon of Nitrofurantoin (NFT) | 197 |
| 5.3.1 Synthesis of an Analogue Template, Carboxyphenyl Aminohydantoin (CPAH) | 197 |
| 5.3.2 Synthesis of Functional Monomers | 198 |
| 5.3.3 Preparation of MIPs Based on Two Functional Monomers | 199 |
| 5.3.4 MIP-Based Thermometric Study | 200 |
| 5.4 Bi-Functional Esterolytically Active MIP | 203 |
| 5.4.1 Polymer Preparation | 204 |
| 5.4.2 Thermometric Characterization of Adsorption and Catalysis | 205 |
| 5.5 Conclusions | 209 |
| Part 2 Potential Materials for Molecular Imprinting | 217 |
| 6. The Use of a Thermally Reversible Bond for Molecular Imprinting | 219 |
| <i>Ji Young Chang</i> | |
| 6.1 Introduction | 219 |
| 6.2 Cross-Linked Vinyl Polymer Matrix | 221 |
| 6.3 Silica Matrix | 226 |
| 6.4 Polyimide as Noncross-Linked Matrix | 228 |
| 6.5 Summary and Outlook | 232 |

| | |
|--|------------|
| 7. Molecular-Sieving Silica/Tin Oxide Sensor Prepared by Chemical Vapor Deposition in the Presence of Template Molecule | 235 |
| <i>Naonobu Katada and Miki Niwa</i> | |
| 7.1 Introduction | 235 |
| 7.2 Preparation Method | 238 |
| 7.3 Selective Chemisorption | 241 |
| 7.4 Sensing Function | 244 |
| 7.4.1 Selectivity for Various Molecules | 244 |
| 7.4.2 Improved Response and Selectivity of Film-Type Sensor | 249 |
| 7.4.3 Detection of Dialkyl Phthalate | 252 |
| 7.5 Conclusion | 254 |
| 8. Environmental Approaches by Molecular Imprinting on Titanium Dioxide | 259 |
| <i>Milka Nussbaum and Yaron Paz</i> | |
| 8.1 Introduction | 260 |
| 8.2 Preparation | 269 |
| 8.2.1 Preparation of Molecularly Imprinted (MI) Structures | 269 |
| 8.2.1.1 Sol-gel method using alkoxide chemistry | 271 |
| 8.2.1.2 “Layer-by-layer” approach using sol-gel method | 272 |
| 8.2.1.3 Liquid phase deposition/chemical bath deposition | 274 |
| 8.2.1.4 Titanyl sulfate chemistry | 275 |
| 8.2.1.5 Titanium tetrachloride chloride chemistry | 276 |
| 8.2.1.6 Potassium titanyl oxalate chemistry | 276 |
| 8.2.2 Preparation of Molecularly Imprinted Polymer (MIP) Structures | 276 |
| 8.2.3 Preparation of Molecularly Imprinted Inorganic (MII) Structures | 277 |
| 8.2.4 Preparation of Molecularly Imprinted Host (MIH) Structures | 278 |
| 8.3 Characterization | 279 |

| | |
|--|-----|
| 8.3.1 Interaction Between Host and Template | 279 |
| 8.3.2 Assessment of Removal of Template Molecules | 281 |
| 8.3.3 Concentration and Structure of Sites | 282 |
| 8.3.4 Surface Area | 282 |
| 8.3.5 Film Morphology and Particles' Size | 283 |
| 8.3.6 Film Thickness | 283 |
| 8.3.7 Crystalline Phase | 284 |
| 8.4 Applications | 284 |
| 8.4.1 Sensing | 284 |
| 8.4.1.1 Quartz crystal microbalance (QCM) sensors | 285 |
| 8.4.1.2 Electrochemical sensors | 286 |
| 8.4.1.3 Ion sensitive field effect transistors | 288 |
| 8.4.1.4 Matrix-assisted laser desorption/ ionization (MALDI)mass- spectrometry | 290 |
| 8.4.1.5 Evaluation of performance of sensors | 290 |
| 8.4.1.5.1 Sensitivity | 291 |
| 8.4.1.5.2 Imprinting efficiency ratio | 291 |
| 8.4.1.5.3 Selectivity | 293 |
| 8.4.1.5.4 Response time | 303 |
| 8.4.1.5.5 Repeatability | 304 |
| 8.4.1.5.6 Stability and reproducibility | 304 |
| 8.4.2 Photocatalysis | 305 |
| 8.4.2.1 Introduction | 305 |
| 8.4.2.2 Performance | 307 |
| 8.4.2.2.1 Efficiency | 308 |
| 8.4.2.2.2 Selectivity | 310 |
| 8.4.2.2.3 Adsorption vs. photocatalytic degradation | 313 |
| 8.4.2.2.4 Imprinting of pseudo-target molecules | 316 |
| 8.4.2.2.5 Intermediates and by-products | 318 |

| | |
|---|------------|
| 8.4.2.2.6 Stability and repeatability | 319 |
| 8.4.3 Separation by Selective Filtration | 320 |
| 8.5 Conclusion | 321 |
| Part 3 MIP Sensors for Environmental and Trace Detection | 331 |
| 9. Molecularly Imprinted Nanocomposites for Highly Sensitive SPR Detection | 333 |
| <i>Jun Matsui and Kensuke Akamatsu</i> | |
| 9.1 Introduction | 333 |
| 9.2 Surface Plasmon Resonance of Metal Nanoparticles | 335 |
| 9.2.1 Biosensors Utilizing Gold Nanoparticles | 337 |
| 9.2.2 Synthesis of Surface-Functionalized Gold Nanoparticles | 339 |
| 9.3 Molecularly Imprinted Nanocomposite | 340 |
| 9.3.1 Concept | 340 |
| 9.3.2 Colorimetric Sensing with Molecularly Imprinted Nanocomposite | 340 |
| 9.3.2.1 Physical properties | 342 |
| 9.3.2.2 Selectivity | 343 |
| 9.3.3 SPR Sensor with Molecularly Imprinted Nanocomposite Gel | 344 |
| 9.3.3.1 Preparation of sensor chip | 345 |
| 9.3.3.2 SPR measurement | 346 |
| 9.3.4 SPR Sensing of Atrazine | 348 |
| 9.3.4.1 Preparation of sensor chip | 348 |
| 9.3.4.2 Effects of gold nanoparticles on sensitivity | 349 |
| 9.3.4.3 Effects of molecular imprinting on sensitivity | 350 |
| 9.3.4.4 Selectivity | 352 |
| 9.4 Conclusion | 353 |
| 10. Molecularly Imprinted Room Temperature Phosphorescent Optosensors for Environmental Pollutants | 359 |
| <i>He-Fang Wang and Xiu-Ping Yan</i> | |
| 10.1 Introduction | 359 |

| | | |
|------------|--|------------|
| 10.2 | Fabrication of MIPs-Based RTP Optosensors | 361 |
| 10.2.1 | Conventional MIPs with RTP Detection | 361 |
| 10.2.2 | Incorporation of Heavy Atoms into MIPs | 364 |
| 10.2.3 | Surface Imprinting on Phosphorescent Nanoparticles | 368 |
| 10.3 | RTP Detection Modes | 374 |
| 10.3.1 | Static Measurement | 374 |
| 10.3.2 | Flow-Through Assays | 377 |
| 10.4 | Applications | 379 |
| 10.4.1 | RTP Sensing of Nafcillin | 379 |
| 10.4.2 | RTP Sensing of PAHs | 381 |
| 10.4.3 | Sensing of Copper Ions | 382 |
| 10.4.4 | Sensing of Pentachlorophenol | 383 |
| 10.5 | Conclusions | 384 |
| 11. | Electrochemical Sensing of Nitroaromatic Compounds in Natural Waters and Soil Samples | 389 |
| | <i>Taher Alizadeh</i> | |
| 11.1 | Introduction | 389 |
| 11.2 | Nitroaromatic Compounds | 390 |
| 11.3 | Different Strategies Developed for Preparation of MIP for Nitroaromatic Compounds | 392 |
| 11.4 | Electrochemistry of Nitroaromatic Compounds | 398 |
| 11.5 | MIP-Based Electrochemical Sensors | 400 |
| 11.5.1 | Polymerization Directly on the Electrode Surface | 401 |
| 11.5.1.1 | Sol-gel and poly TiO ₂ systems | 401 |
| 11.5.1.2 | Electrodes modified with electropolymerized films | 405 |
| 11.5.2 | Coupling of the MIP Particles with Electrochemical Transducers | 407 |
| 11.5.3 | MIP as a Solid Phase Sorbent for Separation and Preconcentration Before Electrochemical Determination | 413 |
| 12. | Trace Detection Based on Cyclodextrin Anchored Molecularly Imprinted TiO₂ Thin Films | 421 |
| | <i>Seung-Woo Lee</i> | |
| 12.1 | Introduction | 421 |
| 12.2 | Surface Sol-Gel Process and Molecular Imprinting | 423 |

| | | |
|------------|--|------------|
| 12.3 | Two-Dimensional Imprinting with Juxtaposed CD Hosts on Metal Oxide Surface | 426 |
| 12.3.1 | BPA Sensing Based on Electrochemical Impedance Changes | 427 |
| 12.3.2 | SAM Effects on cSPI Response | 429 |
| 12.3.3 | cSPI Response to BPA on a BPA-Imprinted TiO ₂ /β-CD Film | 431 |
| 12.3.4 | Selectivity of the BPA-Imprinted TiO ₂ /β-CD Film | 433 |
| 12.4 | Trace Detection of Explosives Using a CD-Anchored Metal Oxide Matrix | 435 |
| 12.4.1 | Surface Modification for 2,4-DNT Recognition | 436 |
| 12.4.2 | cSPI Response and Sensitivity to 2,4-DNT | 437 |
| 12.5 | Imprinting Process Associated with a Gas Phase Sol-Gel Technique | 439 |
| 12.5.1 | Gas-Phase Surface Sol-Gel (GSSG) Process | 439 |
| 12.5.2 | Three-Dimensional Assembly of Templatized CDs with TiO ₂ Ultrathin Layers | 440 |
| 12.5.3 | BPA Response and Imprinting Effect | 441 |
| 12.6 | Future Prospects | 444 |
| 13. | Molecularly Imprinted Au Nanoparticle Composites and Their Application for Sensing, Controlled Release, and Photoelectrochemistry | 453 |
| | <i>Itamar Willner and Ran Tel-Vered</i> | |
| 13.1 | Introduction | 453 |
| 13.2 | Imprinting of Molecular Recognition Sites in Au NP Composites via Donor–Acceptor and/or Electrostatic Interactions | 456 |
| 13.3 | Imprinted Ligand-Functionalized bis-Aniline-Crosslinked Au NP Composites for Sensing | 462 |
| 13.4 | Electrochemically Triggered Imprinted Au NP “Sponges” | 467 |
| 13.5 | Controlling the Wettability of Surfaces by Imprinted Au NP Composites | 471 |
| 13.6 | Imprinted Semiconductor Nanoparticle/Metal Nanoparticle Composites for Enhanced Photoelectrochemistry | 474 |

| | |
|--|------------|
| 13.7 Conclusions and Perspectives | 476 |
| Part 4 Bio-Medical Applications of MIP Sensors | 485 |
| 14. Protein-Sensing Using Organic/Inorganic Hybrid Materials Prepared by Liquid-Phase Deposition-Based Molecular Imprinting | 487 |
| <i>Toshifumi Takeuchi</i> | |
| 14.1 Introduction | 487 |
| 14.2 Liquid-Phase Deposition | 489 |
| 14.3 Cationic Polyions/Titanium Oxide Hybrid Materials for Acidic Protein Recognition | 490 |
| 14.4 Anionic Polymer/TiO ₂ Hybrid Materials for Basic Protein-Sensing | 492 |
| 14.5 Protein Imprinting on Quantum Dots by LPD Method | 493 |
| 14.6 Conclusion | 494 |
| 15. Molecular Imprinted Polymer-Based Chemiluminescence Sensors | 499 |
| <i>Zhujun Zhang</i> | |
| 15.1 Introduction | 499 |
| 15.2 Molecular Imprinted Polymer-Based Chemiluminescence Flow Sensors | 503 |
| 15.3 Molecular Imprinted Polymer-Based CL Imaging Sensors | 512 |
| 15.4 Molecular Imprinted Polymer-Based Chemiluminescence Biosensor Chips | 517 |
| 15.5 Molecular Imprinted Polymer Recognition and Online Electrogenerated Reagent Chemiluminescence Detection | 519 |
| 16. Detection of Cells and Viruses Using Synthetic Antibodies | 527 |
| <i>Adnan Mujahid, and Franz L. Dickert</i> | |
| 16.1 Introduction | 528 |
| 16.2 Molecular Imprinting for Biomolecules | 530 |
| 16.3 Synthetic Antibodies for Cells Detection | 532 |
| 16.3.1 Yeast Cells | 533 |

| | |
|---|------------|
| 16.3.2 Blood Cells Detection | 537 |
| 16.3.3 Bacterial Detection Through Synthetic Materials | 541 |
| 16.4 Imprinted Materials – A novel tool for Virus Sensing | 547 |
| 16.4.1 Tobacco Mosaic Virus (TMV) Imprinting | 548 |
| 16.4.2 Parapox Ovis Virus (ORF) Sensing | 551 |
| 16.4.3 Bovine Leukemia Virus Imprinting | 552 |
| 16.4.4 Molecular Imprinting for Picornaviruses | 553 |
| 16.4.5 Dengue Virus Detection Through Epitope Imprinting Approach | 555 |
| 16.4.6 Poliovirus Detection by Imprinted SAMs | 557 |
| 16.4.7 Virus Sensing by MIP-Coated Microsensors | 558 |
| 16.5 Concluding Remarks and Future Outlook | 559 |
| Part 5 MIP Market and Prospects | 569 |
| 17. Molecularly Imprinted Polymers: Science Goes Market? A Market Analysis Based on the Patent Situation | 571 |
| <i>Soeren Schumacher</i> | |
| 17.1 Introduction | 573 |
| 17.2 Methods | 574 |
| 17.3 Results and Discussion | 575 |
| 17.3.1 Patent Activity | 575 |
| 17.3.2 Application Areas | 580 |
| 17.3.3 Citation Analysis | 580 |
| 17.3.4 S-Curve Consideration | 586 |
| 17.3.5 Company Overview | 587 |
| 17.3.6 Patent Portfolio of Companies | 591 |
| 17.3.7 Competitive and SWOT Analysis | 591 |
| 17.4 Conclusion | 594 |
| <i>Index</i> | 599 |