


Edited by J.W. Goodby, P.J. Collings, T. Kato,  
C. Tschierske, H.F. Gleeson, P. Raynes

# Handbook of Liquid Crystals

Volume 8:  
Applications of Liquid Crystals

Second, Completely Revised and Enlarged Edition



*Edited by John W. Goodby, Peter J. Collings, Takashi Kato,  
Carsten Tschierske, Helen F. Gleeson, and Peter Raynes*

## **Handbook of Liquid Crystals**

Volume 8: Applications of Liquid Crystals

*8 Volume Set: Second, completely revised and greatly enlarged  
edition*

**WILEY-VCH**  
Verlag GmbH & Co. KGaA

## The Editors

### *John W. Goodby*

University of York  
Dept. of Chemistry  
Heslington  
York YO10 5DD  
UK

### *Peter J. Collings*

Swarthmore College  
Dept. of Physics & Astronomy  
Swarthmore, PA 19081  
USA

### *Takashi Kato*

University of Tokyo  
Dept. of Chemistry and Biotechnol.  
School of Engineering  
Tokyo 113-8656  
Japan

### *Carsten Tschierske*

Martin-Luther University Halle-Wittenberg  
Dept. of Chemistry  
Kurt-Mothes-Str. 2  
06120 Halle/Saale  
Germany

### *Helen F. Gleeson*

University of Manchester  
School of Physics and Astronomy  
Manchester M13 9PL  
UK

### *Peter Raynes*

University of York  
Dept. of Chemistry  
Heslington  
York YO10 5DD  
UK

All books published by **Wiley-VCH** are carefully produced. Nevertheless, authors, editors, and publisher do not warrant the information contained in these books, including this book, to be free of errors. Readers are advised to keep in mind that statements, data, illustrations, procedural details or other items may inadvertently be inaccurate.

**Library of Congress Card No.:** applied for

### **British Library Cataloguing-in-Publication Data**

A catalogue record for this book is available from the British Library.

### **Bibliographic information published by the Deutsche Nationalbibliothek**

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available on the Internet at <<http://dnb.d-nb.de>>.

© 2014 Wiley-VCH Verlag & Co. KGaA, Boschstr. 12, 69469 Weinheim, Germany

All rights reserved (including those of translation into other languages). No part of this book may be reproduced in any form – by photoprinting, microfilm, or any other means – nor transmitted or translated into a machine language without written permission from the publishers. Registered names, trademarks, etc. used in this book, even when not specifically marked as such, are not to be considered unprotected by law.

**Print ISBN:** 978-3-527-32773-7

**oBook ISBN:** 978-3-527-67140-3

**Typesetting** Laserwords Private Limited, Chennai, India

**Printing and Binding** Strauss GmbH, Mörlenbach, Germany

**Cover Design** Schulz Grafik-Design, Fußgönheim

Printed in Germany  
Printed on acid-free paper

## Contents

|                             |             |
|-----------------------------|-------------|
| <b>Preface</b>              | <i>XXI</i>  |
| <b>About the Editors</b>    | <i>XXV</i>  |
| <b>List of Contributors</b> | <i>XXIX</i> |

### **Part 1      Display Devices    1**

|          |   |          |
|----------|---|----------|
| <b>1</b> | <b>TN, STN, and Guest–Host Liquid Crystal Display Devices</b> | <b>3</b> |
|          | <i>Peter Raynes</i>   |          |
| 1.1      | Introduction  | 3        |
| 1.2      | Twisted Nematic Liquid Crystal Device                         | 4        |
| 1.2.1    | Twisted Nematic Construction and Operation                    | 4        |
| 1.2.2    | Domains   | 4        |
| 1.2.3    | Optical Properties of the OFF State                           | 5        |
| 1.2.4    | Field-Induced Reorientation                                   | 6        |
| 1.2.5    | Optical Properties of the ON State                            | 7        |
| 1.2.6    | Multiplexed Twisted Nematic Displays                          | 9        |
| 1.3      | Supertwisted Nematic Liquid Crystal Devices                   | 10       |
| 1.3.1    | Supertwisted Nematic LCD Construction and Operation           | 10       |
| 1.3.2    | Optical Properties of the OFF State                           | 11       |
| 1.3.3    | Field-Induced Reorientation                                   | 13       |
| 1.3.4    | Optical Properties of the ON State                            | 14       |
| 1.4      | Guest–Host Liquid Crystals                                    | 14       |
| 1.4.1    | Introduction  | 14       |
| 1.4.2    | Heilmeyer Single-Polarizer Display                            | 14       |
| 1.4.3    | Double-Layered Display  | 17       |
| 1.4.4    | Quarter Wave Plate Display                                    | 17       |
| 1.4.5    | White–Taylor Display  | 19       |
|          | Acknowledgments   | 20       |
|          | References  | 20       |

|          |   |           |
|----------|---|-----------|
| <b>2</b> | <b>In-Plane Switching Display Devices</b>                                     | <b>21</b> |
|          | <i>Hyungki Hong</i>   |           |
| 2.1      | Introduction  | 21        |
| 2.2      | LC Reorientation Under an Applied Electric Field                              | 22        |
| 2.2.1    | Basics of the IPS Mode  | 22        |
| 2.2.2    | Analysis of IPS Based on the Simplified One-Dimensional Model                 | 23        |
| 2.2.3    | Actual LC Director Motion in the IPS Mode                                     | 28        |
| 2.3      | Pixel Structure and Production Process  | 30        |
| 2.3.1    | Layer Position of Common and Pixel Electrodes                                 | 30        |
| 2.3.2    | High Aperture Structure   | 33        |
| 2.4      | Performance   | 34        |
| 2.4.1    | Wide Viewing Angle  | 34        |
| 2.4.2    | Dynamic Performance   | 37        |
|          | Abbreviations   | 39        |
|          | References  | 39        |
| <b>3</b> | <b>Vertical alignment Liquid Crystal mode</b>                                 | <b>41</b> |
|          | <i>Jang-Kun Song</i>  |           |
| 3.1      | Introduction and Fundamentals of VA Mode                                      | 41        |
| 3.1.1    | History of Vertical Alignment (VA) LCDs                                       | 41        |
| 3.1.2    | LC Materials with Negative Dielectric Materials and Vertical Alignment Agents | 43        |
| 3.1.3    | Electrooptic Features of a Single-Domain VA Cell                              | 45        |
| 3.2      | Key Electrooptical Features of VA LCDs and Their Evaluation Tools             | 47        |
| 3.2.1    | Transmittance Efficiencies  | 48        |
| 3.2.2    | Tone-Rendering Distortion Index (TRDI) (or Gamma Curve Distortion Index: GDI) | 49        |
| 3.3      | Wide Viewing Technologies for VA Mode   | 52        |
| 3.3.1    | Compensation Films  | 52        |
| 3.3.2    | Four-Domain Technologies  | 55        |
| 3.3.2.1  | Viewing Angle Properties of a Four-Domain VA Cell                             | 55        |
| 3.3.2.2  | ITO Slit Pattern and PVA (Patterned-Electrode Vertical Alignment) Mode        | 56        |
| 3.3.2.3  | Protrusion and MVA (Multidomain Vertical Alignment) Mode                      | 57        |
| 3.3.3    | Eight-Domain Technology Using Pixel Division                                  | 58        |
| 3.3.3.1  | Eight-Domain Pixel Structure and Off-Axis Image Quality                       | 58        |
| 3.3.3.2  | TT (Two TFT) Technology   | 61        |
| 3.3.3.3  | CC (Capacitive-Coupling) Technology   | 62        |
| 3.3.3.4  | CS (Charge-Sharing) Technology  | 63        |
| 3.3.3.5  | SC (Swinging Common Signals) Technology                                       | 64        |
| 3.3.4    | Other Methods to Improve the Off-Axis Image Quality                           | 65        |
| 3.3.4.1  | Temporal Division Technologies  | 65        |
| 3.3.4.2  | Backlight Dimming and Off-Axis Image Quality                                  | 66        |
| 3.3.4.3  | In-Plane VA Mode Using In-Plane Electrodes and Positive LCs                   | 67        |

|          |  |           |
|----------|--|-----------|
| 3.3.4.4  | Wide Viewing Angle Using the Surface-Scattering Effect               | 68        |
| 3.4      | Technologies for Improving Optical Transmittance                     | 69        |
| 3.4.1    | Design of Pixel Structure and Pattern Shape                          | 69        |
| 3.4.2    | Circular Polarizer and VA Mode                                       | 71        |
| 3.4.3    | PSVA (Polymer-Stabilized VA) and Fish-Bone Electrodes                | 73        |
| 3.4.4    | Photoalignment Technology in VA Mode                                 | 74        |
| 3.4.5    | Summary of the Technologies for High Transmittance                   | 75        |
| 3.5      | Technologies for High Contrast Ratio in the VA Mode                  | 76        |
| 3.5.1    | High Contrast Ratio of VA Mode                                       | 76        |
| 3.5.2    | High Contrast Design   | 77        |
| 3.6      | Technologies for Fast Response Time in VA Mode                       | 78        |
| 3.6.1    | Response Time of VA Mode and Moving Picture Image Quality            | 78        |
| 3.6.2    | Image-Processing Technologies for Improving the Moving Image Quality | 79        |
| 3.6.3    | Pretilt and Response Time in VA Mode                                 | 80        |
| 3.7      | Technologies for Improving Color Accuracy in VA LCDs                 | 80        |
| 3.8      | Manufacturing Process for Large Size Panel                           | 81        |
| 3.9      | Conclusion   | 82        |
|          | Acknowledgments  | 82        |
|          | References   | 82        |
| <b>4</b> | <b>Bistable Nematic Liquid Crystal Displays</b>                      | <b>87</b> |
|          | <i>Cliff Jones</i>   |           |
| 4.1      | Introduction   | 87        |
| 4.2      | Basics of Bistable Liquid Crystal Displays                           | 88        |
| 4.2.1    | Definition of Bistability  | 88        |
| 4.2.2    | Creating Bistable States   | 90        |
| 4.3      | Common Aspects of Bistable LCDs                                      | 93        |
| 4.3.1    | Optical Contrast and Transmittance                                   | 93        |
| 4.3.2    | Shock Stability  | 95        |
| 4.3.3    | Low-Cost Manufacture   | 95        |
| 4.3.4    | Passive Matrix Addressing  | 96        |
| 4.3.5    | Active Matrix Addressing   | 100       |
| 4.3.6    | Operating Voltage and Power  | 101       |
| 4.3.7    | Electronic Drivers and DC Balance                                    | 102       |
| 4.3.8    | Temperature Range and Operating Window                               | 105       |
| 4.3.9    | Ionic Effects and Reverse Latching                                   | 106       |
| 4.3.10   | Gray scale   | 107       |
| 4.3.11   | Color  | 110       |
| 4.4      | Bulk Bistable Nematic LCD  | 110       |
| 4.4.1    | The $0-2\pi$ Bistable Twisted Nematic                                | 110       |
| 4.4.2    | Weak Anchoring and the $0-\pi$ Bistable Twisted Nematic              | 115       |
| 4.4.3    | Bend-Splay Bistable Nematic Modes                                    | 119       |
| 4.4.4    | Bulk Azimuthal Bistability   | 121       |
| 4.5      | Bistable Surfaces  | 122       |

|          |  |            |
|----------|--|------------|
| 4.5.1    | Azimuthal Bistable Devices   | 123        |
| 4.5.1.1  | Surface Alignment  | 123        |
| 4.5.1.2  | Devices Using Azimuthal Bistable Surfaces  | 127        |
| 4.5.2    | Zenithal Bistable Nematic Displays   | 130        |
| 4.5.2.1  | Surface-Relief Structures  | 130        |
| 4.5.2.2  | Flexoelectric Latching at Zenithal Bistable Surfaces                             | 135        |
| 4.5.2.3  | Zenithal Bistable Display  | 138        |
| 4.5.2.4  | Postaligned Bistable Nematics  | 140        |
| 4.6      | Conclusion   | 141        |
|          | References   | 142        |
| <b>5</b> | <b>Chiral Nematic Liquid Crystal Displays</b>                                    | <b>147</b> |
|          | <i>David Coates</i>  |            |
| 5.1      | Introduction   | 147        |
| 5.2      | Properties of the Chiral Nematic Phase   | 148        |
| 5.3      | Optical Properties   | 150        |
| 5.3.1    | The Planar Texture   | 150        |
| 5.3.2    | The Focal Conic and Fingerprint Textures   | 153        |
| 5.3.3    | The Homeotropic Texture  | 154        |
| 5.4      | Bistability  | 154        |
| 5.5      | Alignment  | 155        |
| 5.5.1    | Surface Alignment  | 155        |
| 5.5.2    | Polymer and Bulk Alignment   | 156        |
| 5.6      | Electrical Switching Properties  | 156        |
| 5.6.1    | Homeotropic to Planar and Focal Conic Textures                                   | 159        |
| 5.6.2    | Focal Conic and Planar Texture to Homeotropic Texture                            | 160        |
| 5.6.3    | Planar to Focal Conic Texture  | 160        |
| 5.6.4    | Focal Conic to Planar Texture  | 160        |
| 5.6.5    | Negative Dielectric Anisotropy and Two-Frequency Liquid Crystals                 | 161        |
| 5.7      | Electrical Driving of Cholesteric Films  | 161        |
| 5.8      | Cholesteric Displays   | 164        |
| 5.8.1    | Surface-Stabilized Displays  | 165        |
| 5.8.1.1  | Multiple-Layer Surface-Stabilized Displays                                       | 166        |
| 5.8.2    | Polymer-Stabilized Displays  | 168        |
| 5.9      | Cholesteric Displays on Flexible Substrates                                      | 169        |
| 5.10     | Other Applications for Cholesteric Displays                                      | 170        |
|          | References   | 171        |
| <b>6</b> | <b>Smectic A Memory Displays (SAM Displays)</b>                                  | <b>175</b> |
|          | <i>William A. Crossland, Anthony B. Davey, Daping P. Chu, and Terry V. Clapp</i> |            |
| 6.1      | Introduction   | 175        |
| 6.2      | Dynamic Scattering   | 176        |
| 6.3      | Ionic Dopants for SAM Displays   | 182        |

|          |  |            |
|----------|--|------------|
| 6.4      | Organic Smectic Phases and the First-Generation SAM Displays   | 186        |
| 6.4.1    | Smectic A Phases   | 186        |
| 6.4.2    | Electro-Optic Performance  | 186        |
| 6.5      | SAMD Devices with Organosiloxane Smectic A Phases  | 190        |
| 6.5.1    | Organosiloxane Smectic A Components  | 190        |
| 6.5.2    | Electro-Optic Properties   | 193        |
| 6.5.3    | Second-Generation Smectic A Formulations   | 194        |
| 6.5.4    | Stability, Uniformity, and Lifetime in Organosiloxane Smectic A Scattering Devices                                   | 196        |
| 6.6      | Other Proprietary Materials Systems for SAM Displays   | 199        |
| 6.7      | Page-Oriented Electrical Addressing of Electronic Print Displays   | 200        |
| 6.8      | Basic Display Contrast Modes of SAMDs  | 202        |
| 6.9      | Plastic Devices  | 205        |
| 6.10     | Prototype SAM Displays   | 206        |
|          | Acknowledgments  | 211        |
|          | References   | 211        |
| <b>7</b> | <b>Ferroelectric Liquid Crystal Displays and Devices</b>   | <b>213</b> |
|          | <i>Sven Lagerwall</i>  |            |
| 7.1      | Introduction   | 213        |
| 7.2      | The Canon FLC Technology   | 215        |
| 7.3      | The LETI FLC   | 219        |
| 7.4      | The Citizen FLC Technology   | 219        |
| 7.5      | The Agfa MSP DIMAX Printing Station  | 220        |
| 7.6      | The Sharp FLC  | 220        |
| 7.7      | The Idemitsu Polymer FLC   | 223        |
| 7.8      | Actively Addressed FLCs  | 225        |
| 7.8.1    | Philips–Roche  | 225        |
| 7.8.2    | The Toshiba Thresholdless Mode TV  | 228        |
| 7.9      | FLC-on-Silicon Microdisplays   | 231        |
| 7.10     | Outlook  | 233        |
|          | References   | 234        |
| <b>8</b> | <b>Designing Principles, Synthesis, and Properties of Smectic C Host Materials for Ferroelectric Liquid Crystals</b> | <b>237</b> |
|          | <i>Michael Hird</i>  |            |
| 8.1      | Introductory Aspects of Ferroelectric Liquid Crystals  | 237        |
| 8.2      | Material Requirements for Ferroelectric Devices  | 238        |
| 8.3      | The Development of Achiral Host Materials for Ferroelectric Mixtures   | 240        |
| 8.4      | Ferroelectric Mixtures Based on Achiral Host Mixtures and Chiral Dopants   | 255        |
| 8.5      | Concluding Remarks   | 259        |
|          | Acknowledgments  | 260        |
|          | References   | 260        |



|           |  |            |
|-----------|--|------------|
| <b>9</b>  | <b>Antiferroelectric Liquid Crystal Displays and Their Materials</b>   | <b>263</b> |
|           | <i>Yuichiro Yamada and Atsuo Fukuda</i>  |            |
| 9.1       | Introduction   | 263        |
| 9.2       | Phase Transitions between Anticlinic Antiferroelectric $\text{SmC}_A^*$ and Synclinc Ferroelectric $\text{SmC}^*$                  | 264        |
| 9.2.1     | Electric-Field-Induced Transition  | 264        |
| 9.2.2     | Temperature-Induced Transition and Subphase Emergence  | 265        |
| 9.3       | Antiferroelectric Liquid Crystal Displays Driven by Simple Matrix (SM-AF-LCDs)   | 269        |
| 9.4       | Thresholdless Antiferroelectric Liquid Crystal Displays Driven by TFT Active Matrix (TFT-TLAF-LCDs)                                | 277        |
| 9.4.1     | What Are Thresholdless Antiferroelectric Liquid Crystals (TLAF-LCs)?   | 277        |
| 9.4.2     | Bulk State Crucial for TLAF Materials: Neither Simple Ferroelectric $\text{SmC}^*$ Nor Antiferroelectric $\text{SmC}_A^*$          | 281        |
| 9.4.3     | Interface Effects: Charge-Stabilized Ferroelectric Vertical Alignment or Surface-Stabilized Antiferroelectric Horizontal Alignment | 287        |
| 9.5       | Antiferroelectric Liquid Crystal Displays with Field Sequential Color Driven by Simple Matrix (FSC-SM-AF-LCD)                      | 292        |
|           | References   | 298        |
| <br>      |  |            |
| <b>10</b> | <b>Blue Phase and Isotropic Displays</b>   | <b>303</b> |
|           | <i>Khoa V. Le and Hideo Takezoe</i>  |            |
| 10.1      | Introduction   | 303        |
| 10.2      | Kerr Effect and Kerr Constant  | 303        |
| 10.3      | Response Time  | 306        |
| 10.4      | Viewing Angle and Contrast Ratio   | 308        |
| 10.5      | Operating Voltage and Electrode Design   | 308        |
| 10.6      | Hysteresis   | 309        |
| 10.7      | Optically Transparent Nematic Liquid Crystals  | 312        |
| 10.8      | Conclusions  | 313        |
|           | References   | 313        |
| <br>      |  |            |
|           | <b>Part 2 Non-Display Applications and Functions</b>   | <b>315</b> |
| <br>      |  |            |
| <b>11</b> | <b>Applications of Liquid Crystals in Telecommunications</b>   | <b>317</b> |
|           | <i>Timothy Wilkinson</i>   |            |
| 11.1      | Introduction   | 317        |
| 11.2      | Liquid Crystal Waveguide Structures  | 318        |
| 11.3      | Variable Optical Attenuators   | 319        |
| 11.4      | Optical Switching in Telecommunications  | 321        |
| 11.4.1    | Shadow-Routed Crossbars  | 322        |
| 11.4.1.1  | The $1-n$ Shadow Logic Switch  | 323        |
| 11.4.1.2  | The $n \times n$ Crossbar Switch   | 324        |
| 11.4.1.3  | The OCPM Optical Switch  | 325        |

- 11.4.1.4 The ATM Switch 326
- 11.5 Holographic Interconnects 328
- 11.5.1 The 1- $n$  Holographic Switch 328
- 11.5.2 The Polarization-Insensitive 1-16 Holographic Switch Experiment 331
- 11.5.3 The  $n$ - $n$  Holographic Switch 332
- 11.5.4 Wavelength-Tuneable Filters and Laser 333
- 11.5.4.1 The Digitally Tuneable Wavelength Filter 333
- 11.5.4.2 Digitally Tuneable Fiber Laser 336
- 11.5.4.3 Fabry Perot-Based Wavelength Filters 338
- 11.6 Adaptive Optics 339
- References 343
  
- 12 Adaptive Optics and Lenses 345**  
*Gordon D. Love*
- 12.1 Introduction 345
- 12.1.1 Adaptive Optics for Wavefront Correction 345
- 12.1.2 Adaptive Optics for Wavefront Control 346
- 12.2 Phase Modulation with Liquid Crystals 348
- 12.2.1 Phase Modulation with Nematic Liquid Crystals 348
- 12.2.2 Phase Modulation with Ferroelectric Liquid Crystals 351
- 12.3 Conventional Liquid Crystal Adaptive Optics 354
- 12.4 Diffractive Adaptive Optics 354
- 12.4.1 Aberration Generators 356
- 12.4.2 Optical Phase Conjugation 357
- 12.4.3 Generating Optical Traps and Complex Optical Beams 359
- 12.5 Adaptive Liquid Crystal Lenses 360
- 12.5.1 Pixelated Lens 361
- 12.5.2 Curved Cell Gap Lens 361
- 12.5.3 Hole-Patterned Lens 362
- 12.5.4 Fresnel/Diffraction Liquid Crystal Lens 363
- 12.5.5 Modal Liquid Crystal Lens 363
- 12.5.6 Hidden Layer LC Lens 366
- 12.5.7 Switchable Birefringent Liquid Crystal Lens 366
- References 368
  
- 13 Photonic Micro- and Nanostructures, Metamaterials 373**  
*Heinz-Siegfried Kitzlerow*
- 13.1 Introduction 373
- 13.2 Basic Principles 374
- 13.2.1 Photonic Crystals 374
- 13.2.2 Photonic Crystal Fibers 384
- 13.2.2.1 General Properties 384
- 13.2.3 Microresonators 391
- 13.2.4 Metamaterials 397

|           |  |            |
|-----------|--|------------|
| 13.2.4.1  | Fundamentals of Optical Metamaterials                                  | 397        |
| 13.3      | Developing Applications and Perspectives                               | 403        |
| 13.3.1    | Tunable Light Sources  | 404        |
| 13.3.2    | Optical Modulators, Filters, Switches, and Waveguide Components        | 404        |
| 13.3.3    | Sensors Based on Liquid Crystal Micro- and Nanostructures              | 407        |
| 13.3.4    | Opportunities of Plasmonic Structures and Metamaterials                | 408        |
|           | Acknowledgments  | 411        |
|           | References   | 411        |
| <b>14</b> | <b>Lasing in Cholesteric Liquid Crystals</b>                           | <b>427</b> |
|           | <i>Antonio Munoz-Flores, Peter Palffy-Muhoray, and Bahman Taheri</i>   |            |
| 14.1      | Introduction   | 427        |
| 14.2      | Optics of Cholesteric Liquid Crystals                                  | 427        |
| 14.2.1    | Optics of Cholesteric Liquid Crystals                                  | 428        |
| 14.2.2    | Dye-Doped Systems  | 430        |
| 14.3      | Lasing Background  | 431        |
| 14.3.1    | Conventional Systems   | 431        |
| 14.3.2    | Fabry–Perot Cavity   | 432        |
| 14.3.3    | Distributed Feedback Lasers  | 433        |
| 14.3.4    | Lasing Conditions  | 434        |
| 14.4      | Lasing in CLC  | 435        |
| 14.4.1    | Historical Notes   | 435        |
| 14.4.2    | Material Aspect  | 437        |
| 14.4.2.1  | Host CLC Materials   | 437        |
| 14.4.2.2  | Active Dopants   | 438        |
| 14.4.3    | Optical Properties   | 439        |
| 14.4.4    | Applications   | 443        |
| 14.4.5    | CW Lasing in CLC   | 446        |
| 14.5      | Prospects  | 447        |
|           | References   | 449        |
| <b>15</b> | <b>Recent Advances in Nematic Liquid Crystal Nonlinear Optics</b>      | <b>453</b> |
|           | <i>Nelson V. Tabiryan and Iam-Choon Khoo</i>                           |            |
| 15.1      | Introduction   | 453        |
| 15.2      | Basics Optical Physics of Nematic Liquid Crystals                      | 454        |
| 15.3      | Laser-Induced Modulation of Order Parameter                            | 456        |
| 15.3.1    | Photoisomerization   | 456        |
| 15.3.2    | Photosensitivity for Pulsed and/or Continuous-Wave Light Beams         | 457        |
| 15.4      | Laser-Induced Director Axis Reorientation Effects                      | 462        |
| 15.4.1    | Reorientation with Laser-Induced Space Charge Field: Photorefractivity | 462        |
| 15.4.2    | Dye-Mediated Torque  | 463        |
| 15.4.3    | Reorientation due to Photoisomerization of Azobenzene LCs              | 464        |

|           |  |            |
|-----------|--|------------|
| 15.4.4    | Photoinduced Surface Alignment of LC – Command Surfaces          | 464        |
| 15.5      | Nonlinear Optical Phenomena                                      | 466        |
| 15.5.1    | Phototuning of CLCs  | 466        |
| 15.5.2    | Photoinduced Critical Opalescence and Isotropic Domain Formation | 466        |
| 15.5.3    | All-Optical Switching  | 468        |
| 15.5.4    | Spatial Solitons in Azobenzene Liquid Crystals                   | 469        |
| 15.6      | Concluding Remarks   | 470        |
|           | Acknowledgments  | 471        |
|           | References   | 471        |
| <b>16</b> | <b>Holography and Information Storage</b>                        | <b>475</b> |
|           | <i>Timothy Wilkinson</i>   |            |
| 16.1      | Introduction   | 475        |
| 16.2      | Theory of Holographic Systems                                    | 475        |
| 16.2.1    | Diffraction through an Aperture                                  | 476        |
| 16.2.2    | Effects of Hologram Pixellation                                  | 479        |
| 16.2.3    | Hologram Apodization   | 482        |
| 16.3      | Calculating Holograms  | 483        |
| 16.4      | Liquid Crystal Modulation Effects for Holography                 | 486        |
| 16.4.1    | Nematic Liquid Crystals  | 486        |
| 16.4.2    | Ferroelectric Liquid Crystals                                    | 488        |
| 16.4.2.1  | Binary Intensity Modulation                                      | 490        |
| 16.4.2.2  | Binary Phase Modulation  | 491        |
| 16.4.3    | Polarization-Insensitive Holographic Replay                      | 492        |
| 16.5      | Holographic Projection   | 494        |
| 16.5.1    | Noise in Holographic Projection                                  | 497        |
| 16.5.2    | One-Step Phase Retrieval   | 499        |
| 16.5.3    | Commercial Holographic Projection                                | 501        |
| 16.5.4    | 3D Holographic Projection  | 501        |
| 16.6      | Optical Storage  | 505        |
| 16.6.1    | Single-Layer Optically Addressed Devices                         | 505        |
| 16.6.2    | Two-Layer Optically Addressed Devices                            | 509        |
|           | References   | 513        |
| <b>17</b> | <b>Thermography Using Liquid Crystals</b>                        | <b>517</b> |
|           | <i>Helen F. Gleeson</i>  |            |
| 17.1      | Introduction   | 517        |
| 17.2      | Device Structures  | 520        |
| 17.3      | Engineering and Aerodynamic Research                             | 522        |
| 17.4      | Medical Thermography   | 525        |
| 17.5      | Thermal Mapping and Nondestructive Testing                       | 527        |
| 17.6      | Radiation Detection  | 529        |
|           | References   | 530        |

|           |   |     |
|-----------|---|-----|
| <b>18</b> | <b>Photoresponsive and Photoalignable Materials</b>                     | 539 |
|           | <i>Takahiro Seki, Nobuhiro Kawatsuki, and Mizuho Kondo</i>              |     |
| 18.1      | Introduction  | 539 |
| 18.2      | Surface-Mediated Photoalignment   | 540 |
| 18.2.1    | Thermotropic Liquid Crystals  | 540 |
| 18.2.2    | Lyotropic LCs   | 541 |
| 18.3      | Photoalignment of Liquid Crystalline Polymers in Confined States        | 543 |
| 18.3.1    | Surface Grafting  | 543 |
| 18.3.2    | Block Copolymers  | 545 |
| 18.4      | Photoinduced Mass Migrations in Liquid Crystalline Systems              | 547 |
| 18.4.1    | Features of Liquid Crystalline Polymer Materials                        | 547 |
| 18.4.2    | Hierarchical Structure Formation  | 548 |
| 18.4.3    | Extension to Inorganic Systems  | 549 |
| 18.5      | Photoalignment of Liquid Crystalline Polymer Films and Its Applications | 550 |
| 18.5.1    | Photoalignment of LCP Film  | 551 |
| 18.5.1.1  | LCPs Comprising Cinnamate Derivatives                                   | 551 |
| 18.5.1.2  | LCPs Comprising Cinnamic Acid   | 557 |
| 18.5.1.3  | LCPs Containing Benzoate Derivatives                                    | 557 |
| 18.5.2    | Polarization-Preserved Photosensitization                               | 559 |
| 18.5.3    | Application of Reoriented LCP Films                                     | 561 |
| 18.5.3.1  | Birefringent Films and the LC Alignment Layer                           | 561 |
| 18.5.3.2  | Polarizers  | 563 |
| 18.5.4    | Applications to Optical Devices   | 564 |
| 18.6      | Photoresponsive Liquid Crystal (LC) Materials for Macro-Actuators       | 566 |
| 18.6.1    | Macroscopic Deformation of Crosslinked LC Polymers                      | 567 |
| 18.6.2    | Deformation by Light  | 569 |
| 18.6.3    | Photomobile Fiber   | 573 |
|           | References  | 574 |
| <b>19</b> | <b>Liquid Crystal Dyes</b>  | 581 |
|           | <i>Stephen J. Cowling</i>   |     |
| 19.1      | Introduction  | 581 |
| 19.2      | Dichroic Dyes   | 583 |
| 19.3      | Chromophores  | 584 |
| 19.4      | Azo Dyes  | 584 |
| 19.5      | Benzoquinone and Naphthoquinone Dyes                                    | 590 |
| 19.6      | Anthraquinone Dyes  | 595 |
| 19.7      | Perylene Dyes   | 603 |
| 19.8      | Azulene Dyes  | 606 |
| 19.9      | Indigo Dyes   | 608 |
| 19.10     | Tetrazine Dyes  | 609 |
| 19.11     | Order Parameter and Dichroic Ratio                                      | 610 |

|           |  |            |
|-----------|--|------------|
| 19.12     | Dye Solubility   | 614        |
| 19.13     | Stability of the Dye   | 615        |
| 19.14     | Other Types of Dyes  | 618        |
| 19.14.1   | Chromonic  | 618        |
| 19.14.2   | Laser Dyes, Fluorescent, and Liquid Crystals   | 620        |
| 19.15     | Conclusion   | 622        |
|           | References   | 622        |
| <b>20</b> | <b>Discotic Liquid Crystals as Organic Semiconductors</b>  | <b>627</b> |
|           | <i>Wojciech Pisula and Klaus Müllen</i>  |            |
| 20.1      | Introduction   | 627        |
| 20.2      | Methods for Charge-Carrier Measurements  | 630        |
| 20.2.1    | Pulsed Radiolysis Microwave Conductivity   | 630        |
| 20.2.2    | Time-of-Flight   | 632        |
| 20.2.3    | Space-Charge-Limited Current   | 632        |
| 20.2.4    | Field-Effect Transistor  | 633        |
| 20.3      | Chemical Design  | 633        |
| 20.3.1    | Phase Behavior and Supramolecular Organization   | 633        |
| 20.3.2    | Control over the Thermal Properties  | 635        |
| 20.3.3    | One-Dimensional Transport of Charge Carriers   | 636        |
| 20.4      | Processing and Charge-Carrier Transport in Thin Films  | 643        |
| 20.4.1    | Homeotropic Alignment and Charge-Carrier Measurements  | 644        |
| 20.4.2    | Photovoltaic Cells   | 650        |
| 20.4.3    | Field-Effect Transistors   | 655        |
| 20.5      | Conclusions  | 663        |
|           | References   | 663        |
| <b>21</b> | <b>Liquid Crystal Semiconductors: Oligothiophene and Related Materials</b>                               | <b>675</b> |
|           | <i>Masahiro Funahashi, Takuma Yasuda, and Takashi Kato</i>   |            |
| 21.1      | Introduction   | 675        |
| 21.2      | Low-Molecular-Weight Liquid-Crystalline Oligothiophenes  | 676        |
| 21.2.1    | Symmetrically Substituted 2,2':5',2''-Terthiophene and 2,2':5',2'':5'',2'''-Quaterthiophene Derivatives  | 676        |
| 21.2.2    | Asymmetrically Substituted 2,2':5',2''-Terthiophene and 2,2':5',2'':5'',2'''-Quaterthiophene Derivatives | 678        |
| 21.2.3    | 5-Phenyl-2,2':5',2''-Terthiophene Derivatives and 2,2':5',2'':5'',2'''-Quaterthiophene                   | 680        |
| 21.2.4    | Oligothiophene Derivatives Bearing an Oligoethylene Oxide Spacer   | 682        |
| 21.2.5    | Related Liquid Crystal Compounds Including Thiophene Rings   | 682        |
| 21.3      | Liquid-Crystalline Polythiophenes  | 687        |
| 21.3.1    | Main-Chain Type Liquid-Crystalline Polythiophenes  | 687        |
| 21.3.2    | Side-Chain Type Liquid-Crystalline Polythiophenes and Related Polymers                                   | 688        |

- 21.4 Supramolecular Organization of Liquid-Crystalline Oligothiophenes 691
- 21.5 Electronic Functions and Devices 694
  - 21.5.1 Electroluminescence 695
  - 21.5.2 Transistors 696
  - 21.5.3 Electrochromism 702
  - 21.5.4 Photovoltaic Devices 703
  - References 705
  
- 22 Redox-Active (Electrochromic) Liquid Crystals 709**  
*Kyosuke Isoda, Takuma Yasuda, Masahiro Funahashi, and Takashi Kato*
  - 22.1 TCNQ Derivatives 710
  - 22.2 Viologen Derivatives 711
  - 22.3 Truxene Derivatives 712
  - 22.4 Oligothiophene Derivatives 715
  - 22.5 Fullerene Derivatives 717
  - 22.6 Rotaxane Derivatives 720
  - 22.7 Metallomesogens 721
  - References 723
  
- 23 Liquid Crystals as Ion Conductors 727**  
*Masafumi Yoshio and Takashi Kato*
  - 23.1 Introduction 727
  - 23.2 Polyether-Based Liquid Crystals 727
  - 23.3 Ionic Liquid Crystals 735
  - 23.4 Self-Assembly of Ionic Liquids and Liquid Crystals 740
  - 23.5 Carbonate-Based Liquid Crystals 745
  - 23.6 Summary 746
  - References 746
  
- 24 Electromechanical Effects 751**  
*Antal Jákli and Nándor Éber*
  - 24.1 Piezoelectricity 751
  - 24.2 Electrostriction 757
  - 24.3 Flexoelectricity 758
  - 24.4 Electrophoresis 761
  - 24.5 Electrohydrodynamic Convection (EHC) 764
  - References 767
  
- 25 Mechanical Adaptivity in Photoresponsive Liquid Crystal Elastomers, Polymer Networks, and Composites 773**  
*Timothy White*
  - 25.1 Introduction 773
  - 25.2 The Mechanics of Light-to-Work Transduction 775
  - 25.3 Photomechanical Effects in Liquid Crystal Elastomers 780

|           |  |            |
|-----------|--|------------|
| 25.3.1    | Photochemical Systems  | 780        |
| 25.3.2    | Photothermal Systems   | 781        |
| 25.4      | Photomechanical Effects in Glassy, Liquid Crystal Polymer Networks   | 782        |
| 25.5      | Application Outlook  | 787        |
| 25.5.1    | Haptic Displays  | 787        |
| 25.5.2    | Microfluidics and Flow Control                                       | 789        |
| 25.5.3    | Optics and Photonics   | 790        |
| 25.5.4    | Energy Harvesting  | 790        |
| 25.5.5    | Wireless Actuators and Mechanical Systems                            | 791        |
| 25.5.6    | Shape Memory Polymers  | 792        |
| 25.6      | Summary  | 793        |
|           | Acknowledgments  | 793        |
|           | References   | 794        |
| <b>26</b> | <b>Applications of Bent-Core Mesogens</b>                            | <b>799</b> |
|           | <i>Wilder Iglesias and Antal Jákli</i>                               |            |
| 26.1      | Introduction   | 799        |
| 26.2      | Electro-Optical Applications   | 802        |
| 26.2.1    | SmCP <sub>A</sub> Light Shutters, Reflectors, and Bistable Devices   | 804        |
| 26.2.1.1  | Tilt Separation Mode (TSM-LCD)                                       | 804        |
| 26.2.1.2  | Chiral Separation Mode (CSM-LCD)                                     | 805        |
| 26.2.1.3  | Bistable States  | 806        |
| 26.2.1.4  | Optical Storage Devices  | 806        |
| 26.3      | Tunable Birefringence  | 806        |
| 26.3.1    | Switching Biaxiality   | 808        |
| 26.3.2    | Blue Phases  | 811        |
| 26.4      | Other Applications   | 812        |
| 26.4.1    | Nonlinear Optics   | 812        |
| 26.4.2    | Optical Wave Guiding of BCLC Fibers                                  | 813        |
| 26.4.3    | Electromechanical Effects  | 813        |
|           | References   | 814        |
| <b>27</b> | <b>Applications of Mineral Liquid Crystals</b>                       | <b>819</b> |
|           | <i>Patrick Davidson</i>  |            |
| 27.1      | Introduction   | 819        |
| 27.2      | Hybrid and Composite Materials                                       | 820        |
| 27.3      | Mesoporous Materials   | 824        |
| 27.4      | Mineral Liquid Crystals as Matrices for Functional Organic Molecules | 826        |
| 27.5      | Determination of the Conformation of Biomolecules                    | 827        |
| 27.6      | Aligned Nanoparticle Coatings and Fibers                             | 829        |
| 27.7      | Conclusion and Perspectives  | 834        |
|           | References   | 835        |



|           |  |
|-----------|--|
| <b>28</b> | <b>Magnetic Properties of Organic Radical Liquid Crystals and Metallomesogens</b> 837                                  |
|           | <i>Rui Tamura, Yoshiaki Uchida, and Katsuaki Suzuki</i>  |
| 28.1      | Introduction 837   |
| 28.2      | Magnetic Anisotropy ( $\Delta\chi$ ) of LC Compounds 840   |
| 28.3      | Diamagnetic LCs 841  |
| 28.4      | Magnetic Metallomesogens 841   |
| 28.4.1    | Magnetic Anisotropy 841  |
| 28.4.2    | Magnetic Interactions 844  |
| 28.4.3    | Ferroelectricity 844   |
| 28.4.4    | Spin Crossover 845   |
| 28.4.5    | Single-Molecule Magnet 846   |
| 28.4.6    | Luminescence 847   |
| 28.5      | All-Organic Radical LCs 848  |
| 28.5.1    | First-Generation of Rod-Like All-Organic Radical LCs 848   |
| 28.5.2    | Second-Generation of Rod-Like All-Organic Radical LCs 850  |
| 28.5.2.1  | Magnetic Properties 851  |
| 28.5.2.2  | Ferroelectricity 858   |
| 28.5.3    | Discotic All-Organic Radical LCs 859   |
| 28.6      | Conclusions 861  |
|           | Acknowledgments 862  |
|           | References 862   |
| <br>      |  |
| <b>29</b> | <b>Molecular Machines Based on Liquid Crystal</b> 865  |
|           | <i>Nobuyuki Tamaoki</i>  |
| 29.1      | Introduction 865   |
| 29.2      | Liquid Crystalline Elastomer 866   |
| 29.3      | Visualization of Unidirectional Motion of Liquid Crystalline Molecular Rotor Driven by the Flow of Water Molecules 869 |
| 29.4      | Transformation of Structural Change in Molecule to Rotation of Microscale Object 870                                   |
| 29.5      | Some Other Motion of the Macroscopic Objects Affected by the Liquid Crystal Media 874                                  |
| 29.6      | Conclusion 876   |
|           | References 877   |
| <br>      |  |
| <b>30</b> | <b>Liquid-Crystalline Polymers for Biomechanical Applications</b> 879  |
|           | <i>John W. Goodby, Andrew D. Wilson, Isabel M. Saez, and Stephen J. Cowling</i>  |
| 30.1      | Polymeric Biomaterials 879   |
| 30.2      | Bioresorbable Polymers 880   |
| 30.3      | Bioresorbable Polymers in Orthopedics 880  |
| 30.4      | Current Bioresorbable Materials 882  |
| 30.4.1    | Polyglycolic Acid (PGA) and Polylactic Acid (PLA) 882  |
| 30.5      | Liquid-Crystalline Bioresorbable Materials 884   |

|           |  |            |
|-----------|--|------------|
| 30.5.1    | Bioresorbable Liquid-Crystalline Polymers  | 885        |
| 30.5.2    | Development of Bioresorbable Liquid-Crystalline Polymers                             | 885        |
| 30.5.3    | Toward Bioresorbable Main-Chain Liquid-Crystalline Polymer Esters                    | 892        |
| 30.5.4    | Toward Practical Osteoconductive, Bioresorbable Polymers                             | 898        |
|           | References   | 907        |
| <b>31</b> | <b>Biosensors and Liquid Crystals</b>  | <b>909</b> |
|           | <i>Thomas Cronin</i>   |            |
| 31.1      | Surface-Bound Analytes   | 911        |
| 31.1.1    | Oblique Gold Substrates  | 911        |
| 31.1.2    | Detection of Gaseous Analytes  | 913        |
| 31.1.3    | Detection of DNA   | 913        |
| 31.1.4    | Substrates Without a Gold Layer  | 913        |
| 31.2      | Investigations into the System Parameters Important for Analyte Detection            | 914        |
| 31.2.1    | Quantification of Analyte Binding  | 918        |
| 31.2.2    | Modeling the Effects of Surface-Bound Analytes on LC Alignment                       | 919        |
| 31.3      | LC–Aqueous Interfaces  | 920        |
| 31.3.1    | LC Films Supported by Copper and Gold Grids  | 921        |
| 31.3.2    | DNA Detection at LC–Aqueous Interfaces   | 923        |
| 31.3.3    | Modeling of the Effect of Analytes Bound at the LC–Aqueous Interface on LC Alignment | 923        |
| 31.4      | Detection of Analytes in the Liquid Crystal Bulk                                     | 923        |
| 31.5      | Nonoptical Detection   | 924        |
| 31.6      | Wearable Sensors   | 925        |
| 31.7      | Summary  | 925        |
|           | References   | 926        |
|           | <b>Index</b>   | <b>931</b> |