



# Nanomaterials for Lithium-Ion Batteries

## Fundamentals and Applications

edited by  
**Rachid Yazami**



# Contents

<i>Preface</i>	xiii
<b>1. Silicon Nanowire Electrodes for Lithium-Ion Battery Negative Electrodes</b>	
<i>Candace K. Chan, Matthew T. McDowell, and Yi Cui</i>	
1.1 Introduction	2
1.2 Fabrication of Silicon Nanowire Electrodes	6
1.3 Electrochemical Measurements	8
1.3.1 Cyclic Voltammetry	8
1.3.2 Electrochemical Potential Spectroscopy	9
1.3.3 Galvanostatic Cycling	11
1.3.3.1 Capacity	11
1.3.3.2 Power	14
1.4 Structural Characterization	16
1.4.1 <i>Ex situ</i> Studies on Structural Evolution during Cycling	16
1.4.2 <i>In situ</i> Studies on Structural Evolution during Cycling	20
1.4.3 Anisotropic Expansion during the Lithiation of Crystalline Si	25
1.4.4 Fracture of One-Dimensional Crystalline Nanostructures during Lithiation	28
1.4.5 Structural Evolution during Cycling	31
1.5 Surface Chemistry and Solid Electrolyte Interphase of SiNWs	32
1.5.1 SEI Composition	35
1.5.2 SEI Morphology	37
1.5.3 Silicon Surface Structure and Bonding	39

1.5.4	Nanostructured Electrode Designs for SEI Management	41
1.6	Electrochemical Impedance Spectroscopy	44
1.7	Advanced Electrode Morphologies and Architectures	46
1.7.1	Core-Shell Nanowire Structures	47
1.7.1.1	Crystalline silicon-amorphous silicon core-shell	47
1.7.1.2	Amorphous silicon-metal core-shell	47
1.7.1.3	Si nanoparticle-decorated SiNWs	51
1.7.2	SiNW Composite Electrodes	54
1.7.2.1	Supercritical fluid-liquid-solid SiNW/carbon composite electrodes	54
1.7.2.2	Free-standing silicon-carbon composites	60
1.8	Conclusions and Outlook	62
2.	<b>Nanoscale Anodes of Silicon and Germanium for Lithium Batteries</b>	69
<i>Jason Graetz and Feng Wang</i>		
2.1	Introduction	70
2.2	Improved Performance with Nanoscale Electrodes	74
2.2.1	Cycle Life: Strain Reduction and Defect Elimination	74
2.2.2	Kinetics	75
2.3	Synthesis of Nanoscale Silicon and Germanium Electrode Materials	77
2.4	Nanostructure and Electrochemical Performance	78
2.4.1	Nanocrystalline Silicon	78
2.4.2	Nanocrystalline Germanium	81
2.4.3	Effects of Lithiation on Nanoscale Silicon and Germanium	82
2.4.4	Amorphous Silicon and Germanium	83
2.4.5	Cycle Life	87
2.5	Reaction of Lithium with Si: Nano <i>vs.</i> Bulk	88
2.6	Summary and Outlook	90

<b>3. Nano-Electrochemical Approach for Improvement of Lithium–Tin Alloy Anode</b>	<b>95</b>
<i>Tetsuya Osaka, Hiroki Nara, and Hitomi Mukaibo</i>	
3.1 Introduction	96
3.2 Electrodeposited Sn–Ni Alloy Thin Films as High-Capacity Anode Materials for Lithium-Ion Secondary Batteries	97
3.2.1 Preparation of Anodes with Various Compositional Ratios of Ni to Sn	97
3.2.2 Evaluation of Sn–Ni Alloy Thin Films with Various Compositional Ratios of Ni and Sn	98
3.2.3 Evaluation of $\text{Sn}_{62}\text{Ni}_{38}$ Showed the Highest Performance as Li-Ion Battery Anodes during Galvanostatic Cycling Test	110
3.3 <i>In situ</i> Stress Transition Observation of Electrodeposited Anode Materials	123
3.3.1 Stress Calculation	123
3.3.2 <i>In situ</i> Stress Measurement	126
3.3.3 <i>In situ</i> Stress Transition Observation of Electrodeposited Sn-Based Anodes	127
3.4 Mesoporous Sn Anode Improved Electrochemical Properties	131
3.4.1 Preparation of Mesoporous Sn Anode	132
3.4.2 Electrochemical Property of Mesoporous Sn Anode	132
3.5 Conclusions and Outlook	135
<b>4. Alloy Electrode and Its Breakthrough Technology</b>	
<i>Kiyotaka Yasuda</i>	
4.1 Introduction	140
4.2 Lithium Metal Electrode	142
4.3 Lithium Alloy Electrodes	143
4.3.1 A Brief History of Lithium Alloy Electrodes	143
4.3.2 Classification of Lithium Alloy Systems	145

4.3.3	Reaction Mechanisms of Lithium Alloy Systems	147
4.3.4	Approach to Improve the Cycle Performance	149
4.3.5	Problem of Thin-Film Electrode Technologies	150
4.3.6	Breakthrough Technology with Nanostructure Design Integrated with Current Collector	153
4.4	Conclusion and Outlook	158
<b>5.</b>	<b>Nanometer Anode Materials for Li-Ion Batteries</b>	<b>167</b>
<i>Xuejie Huang and Hong Li</i>		
5.1	Introduction	168
5.2	Tin Oxides	171
5.3	Nanosized Alloy Anodes	176
5.4	Transition Metal Oxides	183
5.5	Conclusions and Outlook	192
<b>6.</b>	<b>Lithium Reaction with Metal Nanofilms</b>	<b>199</b>
<i>Rachid Yazami</i>		
6.1	Introduction	200
6.2	Experimental Procedure	201
6.3	Results	202
6.3.1	Metals Not Alloying with Lithium	202
6.3.2	Metals with Lithium-Alloying Capability	209
6.4	Conclusion	220
<b>7.</b>	<b>High-Rate Li-Ion Intercalation in Nanocrystalline Cathode Materials for High-Power Li-Ion Batteries</b>	<b>227</b>
<i>Masashi Okubo and Itaru Honma</i>		
7.1	Introduction	228
7.2	Correlation between Li-Ion Diffusion Length and High-Charge/Discharge-Rate Capability	228
7.3	Synthesis of Nanocrystalline Electrode Materials by Hydrothermal Reaction	232
7.4	Nanosize Effect on Structural and Physical Properties of an Electrode	236

7.5	Nanosize Effect on the Electrochemical Properties of Electrode	243
7.6	Concluding Remarks	251
8.	<b>LiFePO<sub>4</sub>: From an Insulator to a Robust Cathode Material</b>	<b>259</b>
<i>Miran Gaberšček, Janez Jamnik, Katja Weichert, Dominik Samuelis, and Joachim Maier</i>		
8.1	Introduction	260
8.2	Transport Properties of LiFePO <sub>4</sub> Single Crystals	261
8.2.1	Electrochemical Investigations	262
8.2.2	Anisotropy	263
8.2.3	Electronic Conductivity	265
8.2.4	Ionic Conductivity	266
8.2.5	Chemical Diffusion Coefficient of Lithium	267
8.3	Defect Model of LiFePO <sub>4</sub>	268
8.3.1	General Remarks on the Nature of Point Defects	269
8.3.2	Dependence on Lithium Activity	270
8.3.3	Temperature Dependence	271
8.3.4	Dependence on Dopant Content	273
8.3.5	Extraction of Formation Enthalpies, Interaction Enthalpies, and Migration Energies	276
8.3.6	Comprehensive Defect Model of the LiFePO <sub>4</sub> /FePO <sub>4</sub> System	277
8.4	The LiFePO <sub>4</sub> /FePO <sub>4</sub> Phase Transformation	279
8.5	Size Effects	281
8.6	Network Effects	287
8.6.1	Investigation of Substeps Determining the Rate of Step I	292
8.6.2	Porous LiFePO <sub>4</sub>	295
8.6.2.1	Optimization of electronic contacting	296
8.6.2.2	Optimization of porosity	297

**9. Redox Reaction in Size-Controlled  $\text{Li}_x\text{FePO}_4$** *Atsuo Yamada*

9.1	Background	314
9.2	Binary Phase Diagram	315
9.3	Size Effect vs. Surface Effect	316
9.4	Air Poisoning	318
9.5	Careful Verification of Phase Diagram	322
9.5.1	Electrochemical Approach	322
9.5.2	Structural Approach	323
9.5.3	Consistency between Electrochemical and Structural Data	328
9.5.4	Thermodynamic Approach	332
9.6	Summary	334

**10. Reduced Graphene Oxide-Based Hybrid Materials for High-Rate Lithium-Ion Batteries**

337

*Seong Min Bak, Hyun Kyung Kim, Sang Hoon Park, and Kwang Bum Kim*

10.1	Introduction	338
10.2	Reduced Graphene Oxide	339
10.3	Design of the Metal Oxide/Reduced Graphene Oxide Hybrid	341
10.4	$\text{Li}_4\text{Ti}_5\text{O}_{12}$ /Reduced Graphene Oxide Hybrid Material	341
10.5	$\text{LiMn}_2\text{O}_4$ /Reduced Graphene Oxide Hybrid Material	347
10.6	Capacitive Charge Storage Behavior of $\text{LiMn}_2\text{O}_4$ /Reduced Graphene Oxide Hybrid	355
10.7	Concluding Remarks	358

**11. High-Energy and High-Power Li-Ion Cells: Practical Interest/Limitation of Nanomaterials and Nanostructuration**

363

*S. Jouanneau, S. Patoux, Y. Reynier, and S. Martinet*

11.1	Introduction	363
11.2	Positive Electrode Materials	364

11.2.1 Olivine-Type Materials: Improving the LiFePO <sub>4</sub> Properties Using "Nano"	364
11.2.2 Li-Rich Layered Oxides	374
11.2.3 Toward 5V Spinel Oxides	382
11.3 Negative Electrodes	390
11.3.1 Overview	390
11.3.2 Si/C Composite Nanostructuration	395
11.3.2.1 Li-Si system	396
11.3.2.2 Particule size and nanostructuration effects	400
11.3.2.3 From material to battery	405
11.3.3 High-Rate Titanates: Interest of Nanosize?	406
11.3.3.1 Properties of lithium titanates	407
11.3.3.2 Particule size effects	409
11.3.3.3 Main synthesis route for nanoscale lithium titanate	412
11.3.3.4 From material to battery	415
11.4 Integration in Prototypes	415
11.4.1 Electrode Processing: Impact of Material Size	416
11.4.2 The Uncommon Case of Nanosilicon Electrode	417
11.4.3 Nanomaterials as Additive in Electrodes of Lithium Batteries	418
11.4.4 Examples of Performance in Full Cells	419
11.4.4.1 High energy: toward 300 Wh/kg	419
11.4.4.2 High power: interest of nanotype materials	421
11.5 Conclusion	423
<i>Index</i>	437