

Nicolae M. Avram
Mikhail G. Brik
Editors

Optical Properties of 3d-Ions in Crystals

Spectroscopy and Crystal Field Analysis



TSINGHUA
UNIVERSITY PRESS

 Springer

The Springer logo, which consists of a stylized chess knight piece.

Nicolae M. Avram
Mikhail G. Brik
Editors

Optical Properties of 3d-Ions in Crystals: Spectroscopy and Crystal Field Analysis

With 64 figures



Editors:

Nicolae M. Avram
Department of Physics, West University of
Ti-misoara, Bd. V. Parvan No. 4, 300223
Timi-soara, Romania
Phone: 256-592187; Fax: 256-592108
E-mail: avram@physics.uvt.ro

Mikhail G. Brik
Institute of Physics, University of Tartu,
Riia 142, Tartu 51014, Estonia
Phone: 372-7374751; Fax: 372-7383033
E-mail: brik@fi.tartu.ee

ISBN 978-7-302-28545-8
Tsinghua University Press, Beijing

ISBN 978-3-642-30837-6 e-ISBN 978-3-642-30838-3
Springer Heidelberg New York Dordrecht London

Library of Congress Control Number: 2012938946

© Tsinghua University Press, Beijing and Springer-Verlag Berlin Heidelberg 2013

This work is subject to copyright. All rights are reserved by the Publishers, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publishers' locations, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publishers can accept any legal responsibility for any errors or omissions that may be made. The publishers make no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Contents

| | | |
|----------|--|----|
| 1 | Recent development in laser crystals with 3d ions | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | General properties and aspects of tunable solid-state lasers | 2 |
| 1.2.1 | The prep rational aspect..... | 3 |
| 1.2.2 | The spectroscopic aspect..... | 3 |
| 1.2.3 | The laser aspect..... | 11 |
| 1.2.4 | Comparison between lasers based on the 3d-3d and 4f-4f transitions | 14 |
| 1.3 | Transition metal ion lasers—Recent developments | 15 |
| 1.3.1 | Overview of progress in transition metal ion lasers..... | 15 |
| 1.3.2 | Recent progress in the transition metal ion lasers..... | 15 |
| 1.4 | Summary..... | 23 |
| | References | 24 |
| 2 | Exchange charge model of crystal field for 3d ions | 29 |
| 2.1 | Introduction | 29 |
| 2.2 | Ions with 3d ¹ -configuration (Ti ³⁺ , V ⁴⁺ , Cr ⁵⁺ , Mn ⁶⁺) | 36 |
| 2.2.1 | Ti ³⁺ | 36 |
| 2.2.2 | V ⁴⁺ | 39 |
| 2.2.3 | Cr ⁵⁺ | 41 |
| 2.2.4 | Mn ⁶⁺ | 42 |
| 2.3 | Ions with 3d ² -configuration (V ³⁺ , Cr ⁴⁺ , Mn ⁵⁺)..... | 43 |
| 2.3.1 | V ³⁺ | 45 |
| 2.3.2 | Cr ⁴⁺ | 49 |
| 2.3.3 | Mn ⁵⁺ | 54 |
| 2.4 | Ions with 3d ³ -configuration (V ²⁺ , Cr ³⁺ , Mn ⁴⁺ , Fe ⁵⁺)..... | 58 |
| 2.4.1 | V ²⁺ | 60 |
| 2.4.2 | Cr ³⁺ | 62 |
| 2.4.3 | Mn ⁴⁺ | 64 |
| 2.4.4 | Isoelectronic Cr ³⁺ , Mn ⁴⁺ and Fe ⁵⁺ doped in SrTiO ₃ | 66 |
| 2.5 | Ions with 3d ⁴ -configuration (V ⁺ , Cr ²⁺ , Mn ³⁺ , Fe ⁴⁺) | 70 |
| 2.6 | Ions with 3d ⁵ -configuration (Mn ²⁺ , Fe ³⁺) | 73 |
| 2.7 | Ions with 3d ⁶ -configuration (Co ³⁺ , Fe ²⁺) | 77 |
| 2.8 | Ions with 3d ⁷ -configuration (Co ²⁺ , Ni ³⁺) | 80 |

| | | |
|----------|--|------------|
| 2.9 | Ions with $3d^8$ -configuration (Ni^{2+} , Cu^{3+}) | 83 |
| 2.10 | Ions with $3d^9$ -configuration (Cu^{2+}) | 86 |
| 2.11 | Conclusions | 87 |
| | References | 87 |
| 3 | Superposition model and its applications | 95 |
| 3.1 | Background | 95 |
| 3.2 | Underlying assumptions and formulation of the superposition model | 97 |
| 3.2.1 | Superposition model assumptions | 97 |
| 3.2.2 | Superposition model formula | 98 |
| 3.2.3 | Distance dependence in superposition model | 102 |
| 3.2.4 | Linkage with the angular overlap model (AOM) | 103 |
| 3.2.5 | Quadratic rotational invariants and the superposition model | 105 |
| 3.2.6 | Superposition model in zero-field splittings | 106 |
| 3.3 | Applications of superposition model in selected systems | 107 |
| 3.3.1 | Different ways of using the superposition model | 107 |
| 3.3.2 | Low-lying states of Cr^{3+} at C_3 sites in $LiNbO_3$ | 108 |
| 3.3.3 | Spin-Hamiltonian parameters for $3d^5$ ions in oxide crystals | 110 |
| 3.3.4 | Cr^{3+} at non-cubic sites in MgO | 111 |
| 3.3.5 | Orbit-lattice coupling for Cr^{3+} in ruby | 114 |
| 3.4 | Conclusions | 116 |
| | References | 118 |
| 4 | Spin-Hamiltonian parameters and lattice distortions around $3d^n$ impurities | 123 |
| 4.1 | Introduction | 123 |
| 4.2 | Calculation methods of spin-Hamiltonian parameters | 125 |
| 4.2.1 | Perturbation theory method (PTM) | 125 |
| 4.2.2 | Complete diagonalization of energy matrix method (CDM) ... | 129 |
| 4.3 | Impurity-ligand distances for $3d^n$ impurities in cubic sites of crystals | 131 |
| 4.4 | Low-symmetry distortions of the $3d^n$ impurity centers in crystals | 133 |
| 4.5 | Defect properties related to the defect structures of $3d^n$ impurity centers in crystals | 138 |
| 4.5.1 | Local compressibility and local thermal expansion coefficient | 138 |
| 4.5.2 | Defect model of $3d^n$ impurity center | 143 |
| 4.5.3 | Local phase transition behavior for the $3d^n$ impurity centers in ABX_3 -type perovskites | 144 |

| | | |
|----------|---|------------|
| 4.5.4 | Determination of the substitutional sites for $3d^n$ impurities in crystals..... | 148 |
| | References | 150 |
| 5 | Dynamic Jahn-Teller effect in crystals doped with 3d ions | 157 |
| 5.1 | Introduction | 157 |
| 5.2 | A brief survey | 159 |
| 5.2.1 | $3d^1$, Ti^{3+} and V^{4+} | 160 |
| 5.2.2 | $3d^2$, Cr^{4+} and V^{3+} | 161 |
| 5.2.3 | $3d^3$, V^{2+} and Cr^{3+} | 161 |
| 5.2.4 | $3d^4$, V^+ , Cr^{2+} and Mn^{3+} | 162 |
| 5.2.5 | $3d^5$, Fe^{3+} and Mn^{2+} | 163 |
| 5.2.6 | $3d^6$, Fe^{2+} | 163 |
| 5.2.7 | $3d^7$, Co^{2+} | 164 |
| 5.2.8 | $3d^8$, Ni^{2+} | 164 |
| 5.2.9 | $3d^9$, Ni^+ and Cu^{2+} | 164 |
| 5.3 | The Hamiltonian..... | 165 |
| 5.3.1 | The free ion..... | 166 |
| 5.3.2 | The crystalline field..... | 168 |
| 5.3.3 | The JT interaction | 169 |
| 5.3.4 | A worked example | 170 |
| 5.3.5 | Real life approximations..... | 176 |
| 5.4 | Calculation procedures | 178 |
| 5.4.1 | The Lanczos method..... | 179 |
| 5.4.2 | Lanczos instabilities..... | 182 |
| 5.4.3 | The Glauber states approach..... | 182 |
| 5.5 | Some illustrative examples (Fe^{2+} , V^{2+} , Cr^{2+})..... | 186 |
| 5.5.1 | Fe^{2+} in II - VI and III - V semiconductors..... | 187 |
| 5.5.2 | V^{2+} | 189 |
| 5.5.3 | Cr^{2+} in ZnS and ZnSe..... | 192 |
| 5.6 | Conclusions | 193 |
| | Acknowledgements | 195 |
| | A The symmetric displacements of a tetrahedron..... | 195 |
| | References | 196 |
| 6 | First-principles calculations of crystal field effects and absorption spectra for 3d ions in laser crystals..... | 203 |
| 6.1 | Introduction | 203 |
| 6.2 | Basic foundations of the DVME method..... | 204 |
| 6.3 | Applications of the DVME method..... | 207 |
| 6.3.1 | Microscopic analysis of the crystal field effects and “ligand-impurity ion” charge transfer transitions in Cs_2NaYX_6 ($X=F, Cl, Br$) crystals doped with Cr^{3+} | 207 |

| | | |
|-------|--|-----|
| 6.3.2 | Calculations of optical spectra for 3d ions in crystals..... | 215 |
| 6.3.3 | Calculations of the XANES spectra..... | 232 |
| 6.4 | Conclusion..... | 245 |
| | Acknowledgements | 245 |
| | References | 245 |

7 Cobalt complexes in ZnSe crystals as new absorbers for

| | | |
|-----|--|------------|
| | non-linear optical devices..... | 251 |
| 7.1 | Introduction | 251 |
| 7.2 | Crystal growth | 253 |
| 7.3 | Optical investigations | 253 |
| 7.4 | Molecular dynamics geometry optimization | 258 |
| | 7.4.1 Methods of molecular dynamics simulation | 258 |
| | 7.4.2 Results of calculations | 261 |
| 7.5 | Photo-induced simulation of nonlinear absorption kinetics constants | 262 |
| 7.6 | Conclusion..... | 267 |
| | References | 267 |